

FORM PTO-1449
(Modified)

U.S. Department of Commerce
Patent and Trademark Office

Attorney Docket No.: AME-06381

Serial No. 09/982,464

INFORMATION DISCLOSURE STATEMENT BY APPLICANT
(Use Several Sheets If Necessary)

Applicant: William D Huse *et al.*

Filing Date: 10/18/2001

Group Art Unit: 1600/2900

(37 CFR § 1.98(b))

U.S. PATENT DOCUMENTS

Examiner Initials	Cite No.	Serial / Patent Number	Issue Date	Applicant / Patentee	Class	Subclass	Filing Date
HA	1	5,223,409	6/29/93	Ladner <i>et al.</i>			3/1/91
	2	5,225,539	10/25/91	Winter			10/25/91
	3	5,264,563	11/23/93	Huse			12/14/92
	4	5,403,484	4/4/95	Ladner <i>et al.</i>			1/26/93
	5	5,523,388	6/4/96	Huse			2/27/95
	6	5,585,089	12/17/96	Queen <i>et al.</i>			6/7/95
	7	5,693,762	12/2/97	Queen <i>et al.</i>			6/7/95
	8	5,723,323	3/3/98	Kauffman <i>et al.</i>			12/2/94
	9	5,814,476	9/29/98	Kauffman <i>et al.</i>			6/5/95
	10	5,817,483	10/6/98	Kauffman <i>et al.</i>			6/5/95
	11	5,824,514	10/20/98	Kauffman <i>et al.</i>			6/5/95
	12	5,871,974	2/16/99	Huse			12/2/94
	13	5,976,862	11/2/99	Kauffman <i>et al.</i>			6/5/95
	14	5,977,322	11/2/99	Marks <i>et al.</i>			6/13/96
	15	6,096,551	8/1/00	Barbas <i>et al.</i>			9/16/97
	16	6,312,693	11/6/01	Aruffo <i>et al.</i>			2/10/99

FOREIGN PATENTS OR PUBLISHED FOREIGN PATENT APPLICATIONS

		Document Number	Publication Date	Country / Patent Office	Class	Subclass	Translation	
							Yes	No
DA	17	0 451 216 B1	10/16/91	EPO				
	18	0 682 040 B1	11/15/95	EPO				
	19	0 939 127 A2	9/01/99	EPO				
	20	0 519 596 A1	5/12/92	EPO				
	21	WO 99/42075	26.08.99	PCT				
HA	22	2,125,240 A1	12/7/95	CA				

OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)

DA	23	Amit <i>et al.</i> , "Three-Dimensional Structure of an Antigen-Antibody Complex at 2.8 A Resolution," <i>Science</i> 233:747-753 (1986)
	24	Baca <i>et al.</i> , "Antibody humanization using monovalent phage display," <i>J. Biol Chem</i> 272:10678-84 (1997)
	25	Baca <i>et al.</i> , "Phage display of a catalytic antibody to optimize affinity for transition-state analog binding," <i>Proc Natl Acad Sci USA</i> 94:10063-10068 (1997)
HA	26	Chothia <i>et al.</i> , "Conformations of immunoglobulin hypervariable regions," <i>Nature</i> 342:877-883 (1989)

Examiner:

Date Considered: 9/27/03

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449
(Modified)

U.S. Department of Commerce
Patent and Trademark Office

Attorney Docket No.: AME-06381

Serial No.: 09/982,484

INFORMATION DISCLOSURE STATEMENT BY APPLICANT
(Use Several Sheets If Necessary)

Applicant: William D Huse *et al.*

Filing Date: 10/18/2001

Group Art Unit: 164

(37 CFR § 1.98(b))

OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)


180	27	Chothia <i>et al.</i> , "Canonical structures for the hypervariable regions of immunoglobulins," <i>J. Mol. Biol.</i> 196:901-917 (1987)
/	28	Durie <i>et al.</i> , "Antibody to the Ligand of CD40, gp39, Blocks the Occurrence of the Acute and Chronic Forms of Graft-vs-Host Disease," <i>J Clin Invest</i> 94:1333-1338 (1994)
/	29	Foote and Winter, "Antibody framework residues affecting the conformation of the hypervariable loops," <i>J Mol Biol</i> 224:487-499 (1992)
/	30	Foy <i>et al.</i> , "Immune Regulation by CD40 and its Ligand GP39," <i>Annu Rev Immunol</i> 14:591-617 (1996)
/	31	Francisco <i>et al.</i> , "In Vivo Efficacy and Toxicity of a single-Chain Immunotoxin Targeted to CD40," <i>Blood</i> 89:4493-4500 (1997)
/	32	Francisco <i>et al.</i> , "Activity of a single-Chain Immunotoxin that Selectively Kills Lymphoma and other B-Lineage Cells expressing the CD40 Antigen," <i>Cancer Res</i> 55:3099-3104 (1995)
/	33	Glaser <i>et al.</i> , "Antibody engineering by codon-based mutagenesis in a filamentous phage vector system," <i>J. Immunology</i> 149:3903-3913 (1992)
/	34	Harris & Bajorath, "Profiles for the analysis of immunoglobulin sequences: Comparison of V gene subgroups," <i>Prot Sci</i> 4:306-310 (1995)
/	35	Herren <i>et al.</i> , "Humanization of a murine monoclonal antibody by simultaneous optimization of framework and CDR residues," <i>J Molecular Biology</i> 294:151-162 (1999)
/	36	Huston <i>et al.</i> , "Antigen Recognition and Targeted Delivery by the Single-Chain Fv," <i>Cell Biophysics</i> , 22:189-224 (1993)
/	37	Irving <i>et al.</i> , "Affinity maturation of recombinant antibodies using E. coli mutator cells," <i>Immunotechnology</i> 2:127-143 (1996)
/	38	Jones <i>et al.</i> , "Replacing the complementarity-determining regions in a human antibody with those from a mouse," <i>Nature</i> 321:522-525 (1986)
/	39	Jönsson and Malmquist, "Real Time Biospecific Interaction Analysis," <i>Advances in Biosensors</i> , 2:291-336 (1992)
/	40	Kabat <i>et al.</i> , <i>Sequences of protein of immunological interest.</i> , (5th Ed) Washington DC: United States Department of Health and Human Services (1991)
/	41	Kabat <i>et al.</i> , "Unusual distributions of amino acids in complementarity determining (hypervariable) segments of heavy and light chains of immunoglobulins and their possible roles in specificity of antibody combining sites," <i>J. Biol. Chem.</i> 252, 6609-6616 (1977)
/	42	Kristensson <i>et al.</i> , "Humanization of a murine antibody against cryptococcus neoformans polysaccharide using a novel approach," <i>Vaccines</i> 95, pp. 39-43 Cold Springs Harbor Laboratory Press, Cold Spring Harbor, NY (1995)
/	43	Kunkel, "Rapid and Efficient site-specific mutagenesis without phenotypic selection," <i>Proc Natl. Acad Sci USA</i> 82:488-492 (1985)
/	44	MacCallum <i>et al.</i> , "Antibody-antigen interactions: contact analysis and binding site topography," <i>J. Mol. Biol.</i> 262:732-745 (1996)
/	45	Mach <i>et al.</i> , "Reduction of atherosclerosis in mice by inhibition of CD40 signalling," <i>Nature</i> 394:200-203 (1998)
/	46	Padlan, "A possible procedure for reducing the immunogenicity of antibody variable domains while preserving their ligand-binding properties," <i>Mol Immunol</i> 28:489-498 (1991)
/	47	Padlan, "Anatomy of the antibody molecule," <i>Mol Immunol</i> 31:169-217 (1994)
/	48	Plückthun and Skerra, "Expression of Functional Antibody Fv and Fab Fragments in <i>Escherichia coli</i> ," <i>Meth. Enzymol.</i> , 178:497-515 (1989)
/	49	Rader <i>et al.</i> , "A phage display approach for rapid antibody humanization: Designed combinatorial V gene libraries," <i>Proc Natl Acad Sci USA</i> 95:8910-8915 (1998)
/	50	Riechmann <i>et al.</i> , "Reshaping human antibodies for therapy," <i>Nature</i> 332:323-327 (1988)
/	51	Rosok <i>et al.</i> , "A combinatorial library strategy for the rapid humanization of anticarcinoma BR96 Fab," <i>J Biol Chem</i> 271:22611-22618 (1996)
/	52	Rudikoff <i>et al.</i> , "Single amino acid substitution altering antigen-binding specificity," <i>Proc Natl Acad Sci USA</i> 79:1979-1983 (1982)
/	53	Schier <i>et al.</i> , "Isolation of picomolar affinity anti-c-erbB-2 single-chain Fv by molecular evolution of the complementarity determining regions in the center of the antibody binding site," <i>J Mol Biol</i> 263:551-567 (1996)

Examiner:

Date Considered: 9/27/03

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



RECEIVED
SEP 22 2003
TECH CENTER 1600/2900
Sheet 3 of 4

FORM PTO-1449
(Modified)

U.S. Department of Commerce
Patent and Trademark Office

Attorney Docket No.: AME-06381

Serial No.: 09/982,461

INFORMATION DISCLOSURE STATEMENT BY APPLICANT
(Use Several Sheets If Necessary)

Applicant: William D Huse *et al.*

(37 CFR § 1.98(b))

Filing Date: 10/18/2001

Group Art Unit: 1642

OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)

54	Schreiber & Fersht, "Energetics of protein-protein interactions: Analysis of the barnase-barstar interface by single mutations and double mutant cycles," <i>J Mol Biol</i> 248:478-486 (1995)
55	Singer <i>et al.</i> , "Optimal humanization of 1B4, an anti-CD 18 murine monoclonal antibody, is achieved by correct choice of human V-region framework sequences," <i>J Immunol</i> 150:2844-2857 (1993)
56	Stamenkovic <i>et al.</i> , "A B-lymphocyte activation molecule related to the nerve growth factor receptor and induced by cytokines in carcinomas," <i>EMBO J</i> 8(5): 1403-1410 (1989)
57	Studnicka <i>et al.</i> , "Human-engineered monoclonal antibodies retain full specific binding activity by preserving non-CDR complementarity modulating residues," <i>Protein Eng</i> 7:805-814 (1994)
58	
59	Thompson <i>et al.</i> , "Affinity maturation of a high-affinity human monoclonal antibody against the third hypervariable loop of human immunodeficiency virus: Use of phage display to improve affinity and broaden strain reactivity," <i>J Mol Biol</i> 256:77-88 (1996)
60	Uckun <i>et al.</i> , "Temporal Association of CD40 Antigen Expression with Discrete Stages of Human B-Cell Ontogeny and the Efficacy of Anti-CD40 Immunotoxins Against Clonogenic B-Lineage Acute Lymphoblastic Leukemia as Well as B-Lineage Non-Hodgkin's Lymphoma Cells," <i>Blood</i> 76(12):2449-2456 (1990)
61	Watkins <i>et al.</i> , "Discovery of human antibodies to cell surface antigens by capture lift screening of phage-expressed antibody libraries," <i>Anal Biochem</i> 256:169-177 (1998)
62	Watkins <i>et al.</i> , "Determination of the relative affinities of antibody fragments expressed in <i>Escherichia coli</i> by enzyme-linked immunosorbent assay," <i>Anal Biochem</i> 253:37-45 (1997)
63	Wu <i>et al.</i> , "Stepwise in vitro affinity maturation of Vitaxin, and $\alpha\beta_3$ -specific humanized mAb," <i>Proc. Natl. Acad. Sci. USA</i> , 95:6037-6042 (1998)
64	Yelton <i>et al.</i> , "Affinity maturation of the BR96 anti-carcinoma antibody by codon-based mutagenesis," <i>J Immunol</i> 155:1994-2004 (1995)
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	

Examiner:

Date Considered:

9/27/03

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.